To: (b)(6); (b)(7)(C)

Cc:

Bcc:

Subject: City of Eagle Pass - Resolution Opposing Wall Executive Order

Date: Fri Apr 07 2017 13:47:45 EDT

Attachments: City of Eagle Pass Resolution Opposing Wall.pdf

(b)(6); (b)(7)(C) and All,

FYI - USACE just forwarded me a copy of the attached resolution from the City of Eagle Pass.

Apparently it was voted on and passed by the City Council and signed by the Mayor back on 2/7/17.

The only news article I could find on line is in the Eagle Pass Business Journal, entitled "Eagle Pass City Council approves Resolution opposing President Trump's Border Wall Executive Order." However, the link is blocked on my CBP computer:

http://www.epbusinessjournal.com/2017/02/eagle-pass-city-council-approves-resolution-opposing-president-trumps-border-wall-executive-order/

FYI - USACE had a realty specialist attend their City's Council meeting Wednesday (4/5/17) to present to them a proposed acquisition of an easement for a (b) (7)(E)

(b) (7)(E)

Reportedly, the City opted to defer (b) (7)(E) easement vote until either their next session or a potentially a special interim session.

Then they presented the attached Resolution to the USACE real estate specialist and asked that he "please pass it along."

(b)(5)

Very Respectfully,

(b)(6); (b)(7)(C), MBA PMP

Real Estate Program Manager

LMI Government Consulting

Border Patrol Air and Marine

Program Management Office

Facilities Management and Engineering

U.S. Customs and Border Protection

Blackberry: (b)(6); (b)(7)(C)

(b)(6); (b)(7)(C)

Excel as a trusted strategic partner enhancing

Border Patrol's proud legacy.

RESOLUTION NO. 2017-07R

A RESOLUTION OPPOSING PRESIDENT TRUMP'S EXECUTIVE ORDER WHICH CALLS FOR THE CONSTRUCTION OF A BORDER WALL ALONG THE BANKS OF THE RIO GRANDE RIVER; WITH COUNCIL RECOMMENDATIONS ON THE USE OF FEDERAL FUNDS TO ENHANCE BORDER PORT OF ENTRY TECHNOLOGY, INFRASTRUCTURE AND ADDITIONAL EMPLOYMENT OF CUSTOMS OFFICER TO FACILITATE COMMERCE AND TRADE

WHEREAS, the cities of Piedras Negras, Coahuila, Mexico and Eagle Pass, Texas, U.S.A. for a long time have been reciprocating in activities intended to bring the two cities and countries closer together; and

WHEREAS, both cities have established a unique strong long lasting sisterhood relationship and their people are linked through history, family, and have deep economic, cultural and demographic ties; and

WHEREAS, the Executive Order: BORDER SECURITY AND IMMIGRATION ENFORCEMENT IMPROVEMENTS issued on or about January 25, 2017 hinder the already established unique relationship between the cities of Piedras Negras, Coahuila, Mexico and Eagle Pass, Texas, U.S.A.; and

WHEREAS, the City Council of the City of Eagle Pass supports anti-terrorism acts and border security operations by the Department of Homeland Security, but is of the opinion that the construction of a border wall along the banks of the Rio Grande River will not deter terrorism and will create environmental and economic development issues that will affect its citizens; and

WHEREAS, the City Council of the City of Eagle Pass believes that it is not in the best interest of its citizens to construct the above-mentioned border wall that will harm civil liberties, human rights, and is unlikely to do enough to resolve the difficult problem of illegal immigration; and

WHEREAS, the City of Eagle Pass ports of entry suffer from a lack of adequate federal funding, manpower, technology, infrastructure and additional resources to serve the growing needs of the community and to effectuate the speedy transfer of commerce into the United States; and

WHEREAS, the lack of adequate federal funding at the border ports of entry including the City of Eagle Pass deter and prolong daily crossings into the United States which negatively impacts

the local communities, the stream of commerce, and time sensitive business deals; and

WHEREAS, the last time the federal government embarked on the spending of federal funds to build a border fence which resulted in the wasteful spending that exceeded (b) (7)(E) dollars per mile and which ultimately did not deter illegal immigration crossings.

NOW, THEREFORE, BE IT RESOLVED BY THE CITY COUNCIL OF THE CITY OF EAGLE PASS, TEXAS, as follows:

- SECTION 1. The City of Eagle Pass hereby opposes Executive Order: BORDER SECURITY AND IMMIGRATION ENFORCEMENT IMPROVEMENTS issued on or about January 25, 2017.
- SECTION 2. The City of Eagle Pass hereby urges President Trump and Congress to reconsider or remove that portion of the executive order initiative related to the border wall barrier between the two nations that will seriously harm civil liberties and human rights that will have a negative impact in our community.
- SECTION 3. The City of Eagle Pass further recommends that President Trump and/or Congress divert federal funds to the ports of entry and to the men in blue by increasing the employment of U.S. Customs officers at these ports and by addressing infrastructure improvements that are sorely needed. Rather than wasting federal funds on a border wall, the Council proposes that the federal funds be specifically diverted to address technological enhancements and infrastructure that U.S. Customs need at ports of entry to facilitate commerce and trade between the respective nations and between its inhabitants. The funding of these improvements will enhance border security while at the same time improve and facilitate commercial, pedestrian, and private vehicle crossings to increase commerce and trade between the two countries. The Council believes that the use of federal funds for the above described purposes will be a better investment for ports of entry like Eagle Pass and other border communities and that the return on investment by the federal government will be more profitable if used in this manner.
- SECTION 4. The City Manager is hereby directed to submit this Resolution to all appropriate federal, state, and local entities in order to convey this statement of opposition on behalf of the City of Eagle Pass.

READ, PASSED, UMNIMOUSLY, AND APPROVED, this 7th Day of February, A.D., 2017.

(b) (6)

Ramsey English Cantu Mayor

(b)(6)

Rudy Villalpando / Mayor Pro-Tem

(b)(6)

Yolanda P. Ramon Councilmember Place 3 ATTEST:

(b)(6)

Imelda B. Rodriguez City Secretary

(b) (6)

Gloria Hernandez Councilmember Place1

(b)(6)

Luis E. Sifuentes
Councilmember Place 4

From: (b)(6); (b)(7)(C)To: Cc:

Bcc:

Subject: RE: OFO Contact

Date: Wed Apr 05 2017 15:36:42 EDT

Attachments: image001.jpg

Are there any other sites at issue or possibly at issue, or is this it? Thanks,

Director, Field Operations Facilities Program Management Office Office of Facilities & Asset Management U.S. Customs & Border Protection

(b)(6); (b)(7)(C)

From:

To: Cc:

Subject: RE: OFO Contact

Thanks for your help -(b)(6); (b)(7)(C) is our PM for the SDC project and has been talking to the port - your help would be much appreciated. (b)(6); (b)(7)(C) lets meet with and his team prior to sight visit - thx -

(b)(6); (b)(7)(C)

To:

Subject: FW: OFO Contact

Importance: High

- we've seen some inquiries such as the below prototype construction. Please let me know what you need or who on your team we should work with. We'd want to help get you what you need by making sure OFO HQ is looped in and getting the right OFO players involved.

Please let me know.

Thanks,



Director, Field Operations Facilities Program Management Office

Office of Facilities & Asset Management

U.S. Customs & Border Protection

(b)(6); (b)(7)(C)

From: (b)(6); (b)(7)(C)

Sent: Monday, April 03, 2017 9:35:40 PM

To: (b)(6); (b)(7)(C)

Cc: (b)(6); (b)(7)(C)

Subject: Re: OFO Contact

El'm part of BPAM and am working with San Diego Sector on this. (b) (5)

. I'll give you an update on our schedule later this week.

Thanks

Sent using OWA for iPhone

From: (b)(6); (b)(7)(C)

Sent: Monday, April 3, 2017 9:05:01 PM

Subject: [EXTERNAL] RE: OFO Contact



The OFO dont deal with the fence. The Border Patrol maintenance facility has a team of welders, electrician, and heavy equipment operators that work along the fence.

(b) (7)(E) Cargo is already have enough traffic as it is.

Have you reach out to BP San Diego FM&E? Will talk more about this when you get here.

Thanks,

(b)(6); (b)(7)(C)

Program Manager
Field Operations Facilities PMO-San Diego
Facilities Management & Engineering(FM&E)
Office of Facilities & Asset Management(OFAM)
U.S. Custom & Border Protection
Department of Homeland Security

610 Ash St. Suite (b)(7)(E) San Diego, CA 92101 Office(b)(6); (b)(7)(C) Cell (b)(6); (b)(7)(C)

E-mail: (b)


(b)(6); (b)(7)(C)

From: (b)(6); (b)(7)(C)

Sent: Monday, April 03, 2017 5:42:50 PM

(b)(6); (b)(7)(C)

Subject: Re: OFO Contact



I am going to be in San Diego next Tuesday and Wednesday if you'd like to talk more. We'll actually be on site probably Tuesday morning.

Sent using OWA for iPhone

BW23 FOIA CBP 012472

From: (b)(6); (b)(7)(C)


Sent: Monday, April 3, 2017 6:57:58 PM

To: (b)(6); (b)(7)(C)

Subject: [EXTERNAL] RE: OFO Contact



Before we move forward I have some concern and questions need to be answer



(b)(6); (b)(7)(C) might have more questions and concern.

Thanks,

(b)(6); (b)(7)(C)

Program Manager

Field Operations Facilities PMO - San Diego

Facilities Management & Engineering (FM&E)

Office of Facilities & Asset Management(OFAM)

U.S. Customs & Border Protection

Department of Homeland Security

610 Ash St. Suite



San Diego, CA 92101
Office (b)(6); (b)(7)(C)
Cell: (b)(6); (b)(7)(C)
E-mail: $(b)(6); (b)(7)(C)$
"With honor and integrity, we will safeguard the American people, our homeland, and our values."
From: (b)(6); (b)(7)(C) Sent: Monday, April 03, 2017 12:34 PM To: (b)(6); (b)(7)(C) Cc: (b)(6); (b)(7)(C) > Subject: RE: OFO Contact
I'm doing a site visit next Tuesday and Wednesday but the need is going to be at earliest in June but the RFP process could push it back further.
We are working on other access routes but that is only one currently in CBP possession. We'd need this access for about 30 days.
thanks
(b)(6); (b)(7)(C)
LMI 7940 Jones Branch Drive Tysons, VA 22102 Office: (b)(6); (b)(7)(C)
Complex Problems. Practical Solutions. www.lmi.org

(b)(6); (b)(7)(C)

From:

Sent: Monday, April 03, 2017 3:32 PM

To: Cc: (b)(6); (b)(7)(C)

Subject: [EXTERNAL] RE: OFO Contact



I'll will reach out with (b)(6); (b)(7)(C) this afternoon and het back with with you. What is the timeframe?

(b)(6); (b)(7)(C)

Program Manager
Field Operations Facilities PMO-San Diego
Facilities Management & Engineering(FM&E)
Office of Facilities & Asset Management(OFAM)
U.S. Custom & Border Protection
Department of Homeland Security

610 Ash St. Suite (b)(7)(E)
San Diego, CA 92101
Office (b)(6); (b)(7)(C)
Cell (b)(6); (b)(7)(C)

E-mail: (b)(6); (b)(7)(C)

From: (b)(6); (b)(7)(C)

Sent: Monday, April 03, 2017 12:21:00 PM

To: (b)(6); (b)(7)(C)

Subject: RE: OFO Contact

Ok, thanks

(b)(6); (b)(7)(C)

LMI

7940 Jones Branch Drive

Tysons, VA 22102

Office: (b)(6); (b)(7)(C)

Complex Problems. Practical Solutions. www.lmi.org

From: (b)(6); (b)

Sent: Monday, April 03, 2017 3:17 PM

To:

(b)(6); (b)(7)(C)

Subject: [EXTERNAL] RE: OFO Contact

Importance: High

Actually - please reach out to the Local FOF PMO San Diego AOR embed PM. He can reach out and coordinate with POE and SDFO for awareness.

I have include (b)(6); (b)(7)(C) in the email for awareness – glad things are moving forward.

(b)(6); (b)(7)(C), PMP, LEED AP BD&C

Section Chief

Laguna Niguel Regional Office

Field Operations Facilities PMO

Office of Facilities & Asset Management

U.S. Customs and Border Protection

Department of Homeland Security

24000 Avila Road, Room (b)(7)(E)

Laguna Niguel, CA 92677

(b)(6); (b)(7)(C) Office

(b)(6); (b)(7)(C) Mobile

Email:

(b)(6); (b)(7)(C)

Telework Wednesday and Friday (please call (b)(6); (b)(7)(C

From:

Sent: Monday, April 03,

(b)(6); (b)(

Subject: OFO Contact



I'm looking for a POC at POE. We are looking at trying to see if we could potentially


bring contractor vehicles through (b)(7)(E) the POE to build the prototypes for a very limited period (4 weeks)

Thanks

(b)(6); (b)(7)(C)

LMI 7940 Jones Branch Drive Tysons, VA 22102 Office: (b)(6); (b)(7)(C)


Complex Problems. Practical Solutions. www.lmi.org



(b)(6); (b)(7)(C), P.E., PMP, Chief Engineer

LMI

Mobile: (b)(6); (b)(7)(C)



I've copied (b) (6) from the Corps on this email as they may be able to provide more insight. (b) (5)

(b)(6); (b)(7)(C)

From: (b)(6); (b)(7)(C)

Sent: Monday, December 19, 2016 8:31 AM

To: Cc: (b)(6); (b)(7)(C)

(b)(6); (b)(7)(C)

Subject: Steel Issue/Question

Importance: High

Hi (b)(6); (b)(7)(C)

Do you have some time to chat this morning re: (b) (5), (b)(6); (b)(7)(C)

Thanks,

(b)(6); (b)(7)(C)

(b)(6); (b)(7)(C)

Kearns & West

OA/FM&E/BPFTI PMO

To: (b)(7)(E)

Cc:

Bcc: Subject: Date:

FW: Steel Issue/Question Mon Dec 19 2016 08:44:34 EST

Attachments:

FYSA

Thanks

(b)(6); (b)(7)(C) P.E.

PMO Deputy Director Border Patrol & Air Marine Program Management Office (BPAM PMO) Facilities Management & Engineering

Office of Enterprise Services Customs and Border Protection

24000 Avila Road Suite 5200 Laguna Niguel, CA 92677

Telephone desk (b)(6); (b)(7)(C)
Telephone cell; (b)(6); (b)(7)(C)

(b)(6); (b)(7)(C)

From: (b)(6); (b)(7)(C)

Sent: Monday, December 19, 2016 5:40:07 AM

(b)(6); (b)(7)(C)

Subject: RE: Steel Issue/Question

-if you are referring to the (b)(7)(E) fence replacement pr

(b)(6)

(b) (5)

I've copied more insight.

(b) (6)

from the Corps on this email as they may be able to provide (b) (5)

(b)(6); (b)(7)(C)

From:

(b)(6); (b)(7)(C)

Sent: Monday, December 19, 2016 8:31 AM

To: Cc: (b)(6); (b)(7)(C)

(b)(6); (b)(7)(C)

Subject: Steel Issue/Question

Importance: High

Hi (b)(6); (b)(7)(C)

Do you have some time to chat this morning re:

(b) (5), (b)(6); (b)(7)(C)

Thanks,

(b)(6); (b)(7)(C)

(b)(6); (b)(7)(C)


Kearns & West

OA/FM&E/BPFTI PMO

From:

To:

Cc:



Bcc:

Subject: RE: (b)(7)(E) Fence Replacement Contract Award

Date: Thu Dec 15 2016 16:06:13 EST

Attachments:

Excellent.

(b)(6); (b)(7)(C)

From: (b)(6); (b)(7)(C)


Sent: Thursday, December 15, 2016 3:23 PM

To: (b)(6); (b)(7)(C)

(b)(6);(b)(7)(C)

Subject: RE: (b)(7)(E)Fence Replacement Contract Award

Our typical fence replacements costs have historically been around \$ mile, which is why the estimate was \$ (b) (5)



(b) (5)

Let me know if you have any questions or require additional input.

Thanks,

(b)(6); (b)(7)(C)

From: (b)(6); (b)(7)(C)

Sent: Wednesday, December 14, 2016 9:36 PM

To: (b)(6); (b)(7)(C)

(b)(6); (b)(7)(C)

Subject: FW: (b)(7)(E) Fence Replacement Contract Award

you most likely have this information.

Thanks

(b)(6); (b)(7)(C) P.E.

PMO Deputy Director Border Patrol & Air Marine Program Management Office (BPAM PMO) Facilities Management & Engineering

Office of Enterprise Services Customs and Border Protection

24000 Avila Road Suite 5200 Laguna Niguel, CA 92677

Telephone desk; (b)(6); (b)(7)(C)Telephone cell; (b)(6); (b)(7)(C)

(b)(6); (b)(7)(C)

From: (b)(6); (b)(7)(C)

Sent: Wednesday, December 14, 2016 6:33:34 PM

(b)(6); (b)(7)(C)

Subject: FW: (b)(7)(E) Fence Replacement Contract Award


BW23 FOIA CBP 012485

(b)(6); (b)(7)(C)

Team Lead - Portfolio Management Liaison

U.S. Border Patrol (b)(6); (b)(7)(C) Office

FYSA re: inquiry from appropriations staff on the (b)(7)(E) Fence Replacement Contract Award. (b) (5) Thanks, (b)(6); (b)(7)(C) From: (b)(6); (b)(7)(C)Sent: Thursday, December 08, 2016 1:27 PM To: (b)(6); (b)(7)(C)(b)(6); (b)(7)(C)Cc: Subject: RE: (O)()(E) Fence Replacement Contract Award With replacement fence cost savings, USBP would continue with the next miles in (b)(7)(E) AoR (at the end of the current project). (b)(6); (b)(7)(C) (b)(6); (b)(7)(C) Director-Tactical Infrastructure



Thanks,


(b)(6); (b)(7)(C)

(b)(6); (b)(7)(C)

Kearns & West

OA/FM&E/BPFTI PMO

(b) (6), (b) (7)(C)



(b)(6); (b)(7)(C)

FYSA re: inquiry from appropriations staff on the (b)(7)(E) Fence Replacement Contract Award. (b) (5)

Thanks,

(b)(6); (b)(7)(C)

From: (b)(6); (b)(7)(C)

Sent: Thursday, December 08, 2016 1:27 PM

To: (b)(6); (b)(7)(C)

Cc:

Subject: RE: (b)(7)(E) Fence Replacement Contract Award

(b)(6); (b)(7)(C)


With replacement fence cost savings, USBP would continue with the next miles in (b)(7)(E) AoR (at the end of the current project).

(b)(6); (b)(7)(C)

(b)(6); (b)(7)(C)

Director-Tactical Infrastructure

Team Lead - Portfolio Management Liaison U.S. Border Patrol (b)(6); (b)(7)(C) Office




(b)(6); (b)(7)(C)

(b)(6); (b)(7)(C)

Kearns & West

OA/FM&E/BPFTI PMO



Cc: Bcc:

Subject: FW: Engineers Weekly Status 11/16-11/30

Date: Thu Dec 15 2016 09:00:39 EST

Attachments:

FYSA. Note items under support requests and issues.

(b)(6); (b)(7)(C) Chief Architect, CBP BPAM PMO

Office: (b)(6); (b)(7)(C)

Mobile: (b)(6); (b)(7)(C)

From: (b)(6); (b)(7)(C)

Sent: Wednesday, December 14, 2016 2:21 PM

To: (b)(6); (b)(7)(C)

Subject: RE: Engineers Weekly Status 11/16-11/30

weekly update. Tomorrow, may not be able to call in – he is traveling to Tucson.

Travel -Approved

12/15-12/16: to Tucson / (b)(7)(E) for construction site visit and tower improvement joint acceptance meetings.

Travel - Pending

1/22-1/24: to Yuma for biological monitoring training for (b)(7)(E) Border Patrol Improvement project kick-off

Support requested:

Issues:

Upcoming Projects:


(b)
$$(5)$$
, (b) (7) (E)

Weekly Summary:

(b)(6); (b)(7)(C) – Tactical Infrastructure

- MR Program: The MR program maintains and repairs existing Tactical Infrastructure from all the southern sectors in CBP. This includes gates, access roads, and drainage.
- MR Projects:
- o Developed boat ramp engineering exhibits (b) (6) for the project development team. Included the boat ramp, parking area, and turn around footprints.
- o Provided engineering expertise with the interpretation of the BPFTI boat ramp standards to the project development team. Ensured that the boat ramp standards will be adhered to during the boat ramp design phase.
- o Provided guidance on the BPFTI Technical Design Standards in designing the (b)(7)(E) road project in (b)(7)(E). Facilitated discussion between the design contractor and CBP personnel. Ensured that the road will be designed to the FC-3 standards.
- o Developed footprint exhibit of a proposed road and boat ramp location for (b)(7)(E) condemnation in the Tucson Sector. Determined the area needed for the boat ramp, road, and storm water management areas.
- o Developed an IGCE for the (b)(7)(E) boat ramp in the RGV sector. The boat ramp work plan included toe repair and a section of and existing boat ramp.

Maintenance and Repair



(b) (5), (b) (7)(E)


(b)(7)(E) (Up Coming Effor (b) (5), (b) (7)(E)
(b)(7)(E) (Past Effort) View from above, (b)(7)(E) that was constructed to remove materials from Fish and Wildlife property to DHS property. This area currently is being used as a (b)(7)(E) for CBP.
(b)(7)(E) (Past Effort), Hill area that had a significant slide due to erosion during significant rain events. The hill was rebuilt $(b)(7)(E)$ to reduce the velocity of water during rain events. The hill was vegetated to prevent future erosion and protect an access road at the bottom of the hill.
(b)(7)(E) (Current Effort) (b)(7)(E) A hill (b)(7)(E) that had no sight distance just before cresting the hill on the access road. The solution is to cut the hill down and provide a smooth radius providing safety and accessibility for CBP agents. This road is now passable during significant rain events due to the reduction of slope.
(b)(7)(E) (Up Coming Effort), (b) (5), (b) (7)(E)
Reviewed plan by CBP to install (b)(7)(E) in the RGV sector.
o Developed boat ramp engineering exhibits for real estate and environmental permitting. Installed foo prints that will allow for the boat ramp, parking area, and turn around.
o Provided engineering expertise with the interpretation of the BPFTI boat ramp standards to the project development team. Ensured that the boat ramp standards will be adhered to during the boat ramp design phase. (b)(6); (b)(7)(C)

o Developed footprint exhibit of a proposed road and boat ramp location for (b)(7)(E) condemnation in the Tucson Sector. Determined the area needed for the boat ramp, road, and storm water management areas. (b)(6); (b)(7)(C)

o Provided guidance on the BPFTI Technical Design Standards in designing the (b)(7)(E) road project in (b)(7)(E). Facilitated discussion between the design contractor and CBP personnel. Ensured

that the road will be designed to the FC-3 standards. (b)(6); (b)(7)(C)

included toe repair and a section of and existing boat ramp. (b)(7)(C)
(b)(6); (b)(7)(C) – Tower projects assigned –
(b)(7)(E)
o Working with IBWC for $(b)(7)(E)$ Review and approval of 100% plans.
o Developing MR scope and cost for tower roads not currently in FM&E budget
o Coordinating with $(b)(6)$; $(b)(7)(C)$ at OTIA to complete $(b)(7)(E)$ approvals for water crossings and getting needed info from USACE finish documentation for submittal.
o Preparation of White Paper on (b)(7)(E) width and requirement for new roadway improvements / Low water crossings / Final coordination with Real Estate on information to share with (b) (7)(E) on this issue
o Supporting USACE preparing schedule for $(b)(7)(E)$ for RE negotiations with $(b)(7)(E)$ and overall project planning with OA
o Working with USACE to provide cost estimates for running 3 construction crews instead of 2 and cost impact of a 1.5 year POP for the (b)(7)(E)
0
(b)(7)(E)
o Supporting PM (b)(7)(E)
o Coordinated with FAA and CBP PM to create a fast track design/construction schedule to meet OTIA (b)(7)(E) dates in January for (b)(7)(E) relocation and (b)(7)(E) Coordinating final site visit / punch list visit for 12/15 for turnover of the project by the end of the year.
o Working additional scope requested by OTIA for the Working with Real Estate / Towers Leasing group to finalize approval from US Forest Service on construction costs $(b)(7)(E)$ project – $(b)(7)(E)$ to reduce
o Leading (b)(7)(E) effort with FAA for tower Construction.
o Coordinating new FY 2017 (b)(7)(E) scope and cost with the FAA for (b)(7)(E) and working IAA Mod for additional funding. Working with OA for transfer of funds to ensure work can be completed for (b)(7)(E) through July. Provided adjusted cost estimates (b) (5) through January and projection of funding needed through July 2017 per historical data.
o Completed CTIMR road and tower site improvements for Nov (b)(7)(E). Working with OTIA and their tower contractor to confirm all were completed per request and have not been damaged by



assessments for strengthening/corrective repair, replacement, and/or decommissioning. White paper and presentation for FME to brief OIT-WSPD under development for a proposed corrective repair and

remediation plan for (b)(7)(E) towers in inventory that are in need of strengthening.

- · Havre Sector HQ Tower Replacement: PRD received approval. Pending D&D funding allocation to project.
- · (b)(7)(E) Tower Replacement: PRD received approval. Pending D&D funding allocation to project.
- Helo Pad Installation Project: GSA Task Order #5 for survey and planning of helo pad installations awarded. Work will begin in June and be complete Spring of 2017. Draft Installation Design Drawings have been received and are under review by the IPT Team. FAA in process of engaging/procuring a fabricator. Continue to hold environmental/leasing weekly status meeting.

 (b)(7)(E)

 installations have been tentatively approved by lessor; environmental/easing actions pending.
- · FAA Compliance: Coordinating revised hazard to air determinations for Houlton and Detroit sector towers.
- (b)(7)(E) Tower Data Calls: Prepared a response to data call from EEMD for enewable energy credits. Prepared and responded to a data call from project manager for tower locations, heights, elevations, and loading.
- (b)(7)(E)

 IPT: Kick-off IPT meeting including OPR/OIT/BP/FME held

 11/3. Second meeting conducted on 11/30 to discuss strategies for upgrading issues. Datacall being prepared to obtain information from PM/FM by sector and facility for prioritization needs, develop cost estimates, and enter into TRIRIGA as opportunities.
- ENVIRONMENTAL
- (b)(7)(E) Road Improvements: Next rotation scheduled for January 23rd through June 22nd. SOW for biological monitoring, SWPPP preparation and training released to GSRC for proposal and task order awarded. Coordinated environmental resolution for proposed staging area expansions and additions for next rotations.


(b)(6); (b)(7)(C); (b)(7)(E)

MR Program: The FAA is performing the year assessments in El Paso. Reports for Laredo, El Centro and Del Rio are rolling in. Reviewed approx. Laredo reports. (b)(7)(E) PMO is requesting increased data sharing. FAA is having trouble sharing internally so will work directly with PMO to data share.

For Tucson, emailed OA on how they are addressing with GDOS OSHA violations left on tower in and inquiring to abandoned towers in (b)(7)(E). Determining how to address towers that GDOS structural took an exception to current wind loads on. Meeting 12/15 with the PMO to discuss maintenance requirements and response times.

- MR Projects: For TXDOT (b)(7)(E) relocation (towers portion), on going discussions on (b)(7)(E) relocation and new (b)(7)(E) tower (b)(7)(E) for (b)(7)(E) awaiting FAA/Parsons to start project. Awaiting as-builts for (b)(7)(E) Station tower this week. Site visit for EI Paso/(b)(7)(E) replacement was on Nov 30th.
- MR Structural: Planning for (b)(7)(E) to address (b)(7)(E) towers will provide list. Provide justification and estimate to assess facility towers based on the finds of the sample already

assessed, will start PRR next. Reviewing Laredo sites) structural scenarios and cost estimates for path forward.
PRDS starting or drafting for: $(b)(7)(E)$ tower project (have funding and project started). RGV/ $(b)(7)(E)$ station towers $(b)(7)(E)$
(b)(7)(E) RGV new construction –(b)(7)(E) 15% final design, not all comments addressed, determining path forward, 15% design expected 12/22. Other AOR 15% design – field work started, deliverable sequencing in planning.
(b)(7)(E) RGV (b)(7)(E) station towers – 9/23 Received direction from to complete 35% designs. 35% designs expected 1/2017.
(b)(7)(E) Border –65% design expected mid December – design delayed due to Parsons. (b)(7)(E) rejected request to provide power to of the tower sites therefore (b)(7)(E)
Email: $(b)(6); (b)(7)(C)$



Bcc:

Subject: FW: Sewage Flow in (b)(7)(E)
Date: Wed Dec 14 2016 07:46:07 EST

Attachments: 1213161008.jpg

(b)(6); (b)(7)(C)

As you may be aware, we have awarded the design-build contract for the project. Granite construction is the contractor. They plan to start work in early January. We had a progress meeting with them yesterday in which they advised that it appears sewage is being discharged into several washes in Mexico (b)(7)(E) the project area. Below is the first of 3 emails I'm sending that describe the locations. We would appreciate any assistance you can provide in getting Mexico to stop these discharges to help ensure Granite's employees (and Border Patrol) can work in a safe environment and the project can be completed on-time. Please let us know if you have any questions and or would like to discuss.

Best,

(b)(6); (b)(7)(C)

From: (b) (6), (b) (7)(C)

Sent: Tuesday, December 13, 2016 12:27 PM

To: (b)(6); (b)(7)(C)

Subject: FW: Sewage Flow in (b)(7)(E)

(b)(6); (b)(7)(C)

Deputy Patrol Agent in Charge

US Border Patrol

(b)(7)(E) Station

Office - (b)(6); (b)(7)(C)

Cell - (b)(6); (b)(7)(C)

From: (b) (6), (b) (7)(C)

Sent: Tuesday, December 13, 2016 10:21 AM

To: (b)(6); (b)(7)(C)

(b)(6); (b)(7)(C)

Subject: Sewage Flow in (b)(7)(E)

This is the (b)(7)(E) the POE. (b)(7)(E) this is the first (b)(7)(E) areas.

Thank you,

(b)(6); (b)(7)(C)


Deputy Patrol Agent in Charge

US Border Patrol

(b)(7)(E) Station

Office -(b)(6); (b)(7)(C)

Cell - (b)(6); (b)(7)(C)



Cc:

Bcc:

Subject: (b)(7)(E) Fence Replacement Project D/B Kick-off Meeting


Date: Thu Dec 08 2016 16:57:21 EST

Attachments:

All,

On Dec 1st, I attended and participated in the (b)(7)(E) Fence Replacement project kick-off meeting with the USACE, Border Patrol and USACE's design-build contractor, Granite Construction. The Corps ran the meeting and went through all of the typical contract kick-off meeting topics (e.g. scope of work, contract requirements, POCs, etc.)

Noteworthy discussion items included:



$\overline{\text{(b)}}$ (5), (b) (7)(E)

Please let me know if you have any questions.

Best,

(b)(6); (b)(7)(C)

(b)(6); (b)(7)(C) P.E., PMP, Chief Engineer

LMI

Mobile: (b)(6); (b)(7)(C)

(b)(6); (b)(7)(C)

(b)(6); (b)(7)(C)From: To: Cc: Bcc: RE: (b)(7)(E) Border Fence Project / Progress Report Subject: Fri Dec 02 2016 11:14:05 EST Date: Attachments: That shouldn't be a problem (b)(6); (b)(7)(C) PE LMI **BPFTI** Chief Engineer (b)(6); (b)(7)(C) Sent from Samsung Galaxy Sent: Friday, December 02, 2016 8:29:47 AM To: Subject: RE: (b)(7)(E) Border Fence Project / Progress Report Looks great I would like to have some good photos of the before and then completed --Original Message From: (b)(6); (b)2016 8:28 AM (b)(6); (b)(7)(C) To: Subject: FW: (b)(7)(E) Border Fence Project / Progress Report contractor continuing to make great progress (finally) ----Original Message-From: Sent: Thursday, December 1, 2016 9:04 PM To: (b)(6); (b)(7)(C)



Subject: (b)(7)(E) Border Fence Project / Progress Report

All,

Attached above is a progress report for the above subject referenced project, the report is for your use/information. If you have any questions and/or comments, please feel free to e-mail or contact (b) (6) or me at the El Paso Resident Office (b) (6)

Thank you,



From: To:
(b)(6); (b)(7)(C)

Bcc:

Bcc: Subject:

Date:

Re: Steel for new fence program Fri Dec 02 2016 10:52:20 EST


Attachments:

```
(b) (5), (b)(6); (b)(7)(C)
Also-according to
Sent from my iPhone
> On Dec 2, 2016, at 9:47 AM,
                                                                                                wrote:
> Pls include (b)(6)(b)(7)(C) on emails - thx
                         we may want to let OCA know
> Thx for the heads up -
> ----Original Message
> From:
> Subject: FW: Steel for new fence program
> Some info on bulk steel purchases for your situational awareness.
                                       (b) (5), (b) (7)(E)
   ---Original Message-
> From: (b)(6); (b)(
                (b)(6); (b)(7)(C)
 Subject: RE: Steel for new fence program
                                          (b) (5), (b) (7)(E)
> I'm going to call someone in a little while
                                      (b) (5), (b) (7)(E)
```

```
(b)(6); (b)(7)(C)
> LMI
> 7940 Jones Branch Drive
> Tysons, VA 22102
> Office: (b)(6); (b)(7)(C)
> Complex Problems. Practical Solutions.
> www.lmi.org
>
> ----Original Message
> From: (b)(6); (b)(7)(C)
> Sent: Thursday, December 01, 2016 1:14 PM
                    (b)(6); (b)(7)(C)
> Subject: Re: Steel for new fence program
> OK-I recommend you bring this up in the steel meeting tomorrow
> Sent from my iPhone
>> On Dec 1, 2016, at 11:07 AM,
                                               (b)(6); (b)(7)(C)
                                                                                wrote:
                                              (b)(5)
>> (b)(6); (b)(7)(C)
>> LMI
>> 7940 Jones Branch Drive
>> Tysons, VA 22102
>> Office: (b)(6); (b)(7)(C)
>>
>> Complex Problems. Practical Solutions.
>> www.lmi.org
>>
>>
>> -----Original Message-
>> From: (b)(6); (b)(7)(C)
>> Sent: Thursday, December 01, 2016 12:59 PM
                     (b)(6); (b)(7)(C)
>> Subject: Steel for new fence program
>>
                                    (b) (5), (b) (6), (b) (7)(E)
>>
>>
>> Sent from my iPhone
```

From:

To:



Bcc:

Cc:

Subject: RE: Fence Presentation to OCC - Thursday

Date:

Wed Nov 30 2016 08:14:57 EST

Attachments:

Okie dokie - just wanted to make sure before he pushed fwd. Appreciate the quick response :)

(b)(6); (b)(7)(C) Business Operations CBP, FM&E (b)(6); (b)(7)(C)

From: (b)(6); (b)(7)(C)

Sent: Tuesday, November 29, 2016 6:25:12 PM

To: (b)(6); (b)(7)(C)

Subject: RE: Fence Presentation to OCC - Thursday

^{(b)(6); (b)(7)(C)} will do a good job and they all know (b)(6); (b)(7)(C)

From: (b)(6); (b)(7)(C)

Sent: Tuesday, November 29, 2016 3:40:56 PM To: (b)(6); (b)(7)(C)


Subject: FW: Fence Presentation to OCC - Thursday

Should be the one doing this presentation? I'm going to review the deck but want to make sure you all have an opportunity to weigh in here.

(b)(6); (b)(7)(C)

Business Operations

OFAM / BPAM PMO



(b)(6); (b)(7)(C)

From: (b)(6); (b)(7)(C)

Sent: Tuesday, November 29, 2016 1:59 PM

To: Cc: (b)(6); (b)(7)(C)

(b)(6); (b)(7)(C)

Subject: Fence Presentation to OCC - Thursday

Importance: High



As I believe informed you, I was invited to present to OCC on Thursday afternoon.

I have given this presentation a number of times at OCC's request for their new attorneys and for new DOJ and USACE attorneys...albeit in a slightly different format.

However, this time I will not just be presenting to new attorneys, I'll be speaking to most of their office here in DC.

As you'll see, I didn't invent new slides per se, I pulled from our new BPAM 101 brief which provided, a couple slides from our recent C2 brief, and a few slides I prepared for recent PMRs.

OCC's desire was for me to cover fence, with a focus on real estate of course.

That said, I'll lead off by briefly introducing the new BPAM organization – I will not spend much time on that though.

Please let me know if the power point is good-to-go, or if you require any amendments.

Thank you in advance!

Very Respectfully,

(b)(6); (b)(7)(C) MBA PMP

Real Estate Program Manager

LMI Government Consulting

Border Patrol Air and Marine

Program Management Office

Facilities Management and Engineering

U.S. Customs and Border Protection

Blackberry: (b)(6); (b)(7)(C)

(b)(6); (b)(7)(C)

Excel as a trusted strategic partner enhancing

Border Patrol's proud legacy.

From:

To:



Cc:

Bcc: Subject:

RE: CIR PMP Tag UP

Date: Mon Nov 14 2016 21:14:17 EST

Attachments:

Works for me!

 $(b)(6); (b)(7)(C)_{PE}$

LMI

BPFTI Chief Engineer

(b)(6); (b)(7)(C)

Sent from Samsung Galaxy

From: (b)(6); (b)(7)(C) Sent: Monday, November 14, 2016 8:33:24 PM

To: (b)(6); (b)

(b)(6);(b)(7)(C)

Subject: RE: CIR PMP Tag UP

Thanks This is wonderful work. I suggest we all convene for a call to talk through this. In terms of what we want to call the initiative,

(b) (5)

Since we are all buried in the PMR this week, how does next week look for a team meeting?

(b)(6); (b)(7)(C)

Business Operations

OFAM / BPAM PMO


 $(b)(6); (b)(7)(C)_{(0)}$

(m)

(b)(6); (b)(7)(C)

From: (b)(6); (b)(7)(C)

Sent: Monday, November 14, 2016 1:11 PM



Subject: RE: CIR PMP Tag UP

All

Attached is the current draft of the PMP for the new fence program.

(b)(5)

(b) (5), (b)(6); (b)(7)(C)

The document is still a work in progress

but I feel it represents about a 90% solution. Please let me know if you have any questions or concerns.

Best

(b)(6); (b)(7)(C)

From: (b)(6); (b)(7)(C)Sent: Friday, August 19, 2016 12:50 PM

To: (b)(6); (b)(7)(C) (b)(6); (b)(7)(C) (b)(6); (b)(7)(C) (b)(6); (b)(7)(C)

Subject: RE: CIR PMP Tag UP

All

Attached is our first pass at the Program Management Plan. Please note that the environmental section as well as a couple of other sections need to be revised (b) (5)

$(b)(6); (b)(7)(C)_{P.E}$

Program Director

Resource Management Division

LMI 7940 Jones Branch Drive McLean, VA 22102 Office: (b)(6): (b)(7)(C)


Cell: (b)(6); (b)(7)(C)

Complex Problems. Practical Solutions. www.lmi.org

--Original <u>Appointme</u>nt---From: (b)(6); (b)(7)(C)Sent: Tuesday, August 02, 2016 8:15 AM To: (b)(6); (b)(7)(C)Subject: CIR PMP Tag UP When: Friday, August 19, 2016 1:00 PM-2:00 PM (UTC-05:00) Eastern Time (US & Canada). Where: Skype Meeting à Join Skype Meeting This is an online meeting for Skype for Business, the professional meetings and communications app formerly known as Lync. Join by phone English (United States) National) English (United States) (National) Find a local number Conference ID: (b)(7)(E) Forgot your dial-in PIN? |Help [!OC([1033])!]

(b)(6); (b)(7)(\overline{C}) From: To: Cc: Bcc: Subject: RE: CIR PMP Tag UP Date: Mon Nov 14 2016 17:08:21 EST image002.jpg Attachments: Thanks (b)(6); (b)(7)(C) An Org chart is definitely needed. (b)(5)Thanks again (b)(6); (b)(7)(C)PE LMI **BPFTI Chief Engineer** (b)(6); (b)(7)(C) Sent from Samsung Galaxy Sent: Monday, 14, 2016 2:16:05 PM (b)(6); (b)(7)(0)To: Cc: (b)(6); (b)(7)(C)Subject: RE: CIR PMP Tag UP (b)(6); (b)(7)(C

1. Good document. Reads easy enough and rolls thru the various aspects of the disciplines.



Solid document.



Regards,

(b)(6); (b)(7)(C) CBM, PMP

Director-Real Estate, Environmental and Leasing Services (REEL)

Border Patrol Air & Marine Program Management Office (BPAM PMO)


DHS-CBP-ES-FM&E

(b)(6); (b)(7)(C) (cell)

From: (b)(6); (b)(7)(C)

Sent: Monday, November 14, 2016 1:11 PM

To: (b)(6): (b)(7)(C)



Subject: RE: CIR PMP Tag UP

All

Attached is the current draft of the PMP for the new fence program. (b) (5), (b)(6); (b)(7)(C)

The document is still a work in progress

but I feel it represents about a 90% solution. Please let me know if you have any questions or concerns.

Best

(b)(6); (b)(7)(C)

From: (b)(6); (b)(7)(C)

Sent: Friday, August 19, 2016 12:50 PM

(b)(6); (b)(7)(C) (b)(6); (b)(7)(C)

b)(6); (b)(7)(C) (b) (c)

(b) (6) Subject: RE: CIR PMP Tag UP

All

Attached is our first pass at the Program Management Plan. Please note that the environmental section as well as a couple of other sections need to be revised (b) (5)

(b)(6); (b)(7)(C) P.E.

Program Director

Resource Management Division

LMI

7940 Jones Branch Drive McLean, VA 22102

Office: (b)(6); (b)(7)(C)

Cell: (b)(6); (b)(7)(C)

Complex Problems. Practical Solutions. www.lmi.org

----Original Appointment----

From: (b)(6); (b)(7)(C)

Sent: Tuesday, August 02, 2016 8:15 AM

To: (b)(6); (b)(7)(C) (b)(6); (b)(7)(C)

(b)(6); (b)(7)(C); (b)(6)

Subject: CIR PMP Tag UP

When: Friday, August 19, 2016 1:00 PM-2:00 PM (UTC-05:00) Eastern Time (US & Canada).

Where: Skype Meeting

à Join Skype Meeting

This is an online meeting for Skype for Business, the professional meetings and communications app formerly known as Lync.

Join by phone

(h)(7)(E)(National) English (United States)

(National) English (United States)

Find a local number

Conference ID: (b)(7)(E)
Forgot your dial-in PIN? Help
[!OC([1033])!]

(b)(6); (b)(7)(C)From: To: Cc: Bcc: Subject: RE: CIR PMP Tag UP Date: Mon Nov 14 2016 13:10:32 EST Comprehensive Immigration Reform_V5.docx Attachments: All Attached is the current draft of the PMP for the new fence program. (b) (5), (b)(6); (b)(7)(C)

Attached is the current draft of the PMP for the new fence program. (b) (5), (b)(6); (b)(7)(C)

The document is still a work in progress but I feel it represents about a 90% solution. Please let me know if you have any questions or concerns.

Best

(b)(6); (b)(7)(C

From:

(b)(6); (b)(7)(C)

Sent: Friday, August 19, 2016 12:50 PM

To:

(b)(6); (b)(7)(C)

(b)(6); (b)(7)(C)

(b)(6)

Subject: RE: CIR PMP Tag UP

All

Attached is our first pass at the Program Management Plan. Please note that the environmental section as well as a couple of other sections need to be revised (b)(7)(E)

$(b)(6); (b)(7)(C)_{P.E.}$

Program Director

Resource Management Division

LMI

7940 Jones Branch Drive McLean, VA 22102

Office: (b)(6); (b)(7)(C)

Cell: (b)(6); (b)(7)(C

Complex Problems. Practical Solutions. www.lmi.org

-Original Appointment-

From: (b)(6); (b)(7)(C)

Sent: Tuesday, August 02, 2016 8:15 AM

To:

(b)(6); (b)(7)(C)

(b)(6); (b)(7)

(b)(6); (b)(7)(C)	(b)	(6)
Subject: CIR PMP T When: Friday, Augu Where: Skype Meet	ıst 19, 2016 1:0	0 PM-2:00 PM (UTC-05:00) Eastern Time (US & Canada).
> Join Skype Mee	ting	
This is an online me formerly known as L		for Business, the professional meetings and communications app
Join by phone		
(b)(7)(E) (Na	tional)	English (United States)
	tional)	English (United States)
Find a local number		
Conference ID: (b)(7)(E)	
Forgot your dial-in F	PIN? Help	
[!OC([1033])!]		





Comprehensive Immigration Reform New Border Fencing & Tactical Infrastructure Program Management Plan

Version 1.3

ı

BPAM Program Office






























































































To: (b)(6); (b)(7)(C)

Cc:

Bcc: Subject:

RE: (b)(7)(E)Fence Replacement Project-Site Visit

Date: Thu Oct 27 2016 05:59:58 EDT

Attachments:

Thanks, (b)(6); (b)(7)(C)

From: (b)(6); (b)(7)(C)

Sent: Wednesday, October 26, 2016 6:33:16 PM

To: (b)(6); (b)(7)(C)

Subject: (b)(7)(E)Fence Replacement Project-Site Visit

Today I visited the (b)(7)(E) fence replacement project to observe the status of construction and quality of work.

Significant progress has been made since my last visit approximately 1 month ago. Six (6) crews were observed working on-site and approximately 50% of the fence is up. The quality of workmanship is excellent. No noteworthy design issues have arisen (no CRs to date) and the Corps' local management/oversight is exceptional (and a key contributor to the project's success).

The project includes (b)(7)(E) that have yet to be built. Work has just started in these areas and is estimated to take several months to complete due to the work complexity. Also, the

challenging aspects of the project remain.

Current estimated completion date is April 2017 (December is current contract completion date).

Please let me know if you have any questions.

Best,

(b)(6); (b)(7)(C)

(b)(6); (b)(7)(C) P.E., PMP, Chief Engineer

LMI

Mobiles(b)(6); (b)(7)(C)

To: (b)(6); (b)(7)(C)

Cc:
Bcc:

Subject: (b)(7)(E) Fence Replacement Project-Site Visit

Date: Wed Oct 26 2016 21:33:16 EDT

Attachments: IMG_0800.JPG

IMG_0802.JPG

Today I visited the (b)(7)(E) fence replacement project to observe the status of construction and quality of work.

Significant progress has been made since my last visit approximately 1 month ago. Six (6) crews were observed working on-site and approximately 50% of the fence is up. The quality of workmanship is excellent. No noteworthy design issues have arisen (no CRs to date) and the Corps' local management/oversight is exceptional (and a key contributor to the project's success).

The project includes (b)(7)(E) that have yet to be built. Work has just started in these areas and is estimated to take several months to complete due to the work complexity. Also, the project segment (b)(7)(E) has yet to be constructed so several challenging aspects of the project remain.

Current estimated completion date is April 2017 (December is current contract completion date).

Please let me know if you have any questions.

Best,

(b)(6); (b)(7)(C) P.E., PMP, Chief Engineer

LMI

Mobile: (b)(6); (b)(7)(C)





(b)(6); (b)(7)(C)From: To: Cc: Bcc: RE: CBP/IBWC Conference Call Notes Subject: Thu Sep 08 2016 09:39:27 EDT Date: Attachments: Thanks. Good info. (b)(6); (b)(7)(C)From: Sent: Thursday, September 08, 2016 7:53:12 AM To: (b)(6); (b)(7)(C)Cc: (b)(6); (b)(7)(C)Subject: CBP/IBWC Conference Call Notes All

Yesterday, myself, (b)(6); (b)(7)(C) and representatives from Border Patrol ELP participated in a conference call with IBWC regarding a number of BPFTI/CBP initiatives. Provided below is summary of our discussions and pending action items:



(b) (5), (b) (7)(E)

Pump Station/Levee Flood Protection & Fencing Improvements (RGV – Planned fence segment (b)(7)(E): (b) (5), (b) (7)(E)

(b) (5), (b) (7)(E)

(b)(7)(E)Fence Replacement Project:

(b)(5)

(b)(5)

(b)(7)(E) Fence Replacement Project:

(b) (5)

(b) (5)

Sam Vasquez is IBWC's new Chief of Realty and has been designated as our new POC for IBWC HQ related matters. Sam and I agreed to meet face to face when I'm in El Paso on the 19th.

Please let me know if you have any questions or would like to discuss any of the matters described above.


Best,

(b)(6); (b)(7)(C)

 $(b)(6); (b)(7)(C)_{P.E., PMP, Chief Engineer}$

LMI

Mobile: (b)(6); (b)(7)(C)



Thx

From: (b)(6); (b)(7)(C)

Sent: Thursday, September 01, 2016 1:49:03 PM

To: (b)(6); (b)(7)(C)

Subject: FW: (b)(7)(E) schedule

FYSA

From: (b) (6)

Sent: Wednesday, August 31, 2016 10:09:59 AM

(b)(6); (b)(7)(C)

(b) (6)

Subject: RE: (b)(7)(E) schedule

(b)(6); (b)(7)(C)

Revised initial schedule as requested. As you may know, this revised initial schedule is the end result of several meetings, discussions, and coordination that the KTR had between its field and office management because we kept getting schedules that did not agree with what was actually going onion the field. Also, we know that they will not be able to recover lost time as too much time has already passed. So this is supposed be there attempt at a realistic, accurate, determination of the proposed current sequence of work and current KTR estimated completion date. This revised initial schedule attempts to correct the previous conflicts and finally provide a formal and final direction forward supported by the KTR field and office management personnel.

We asked for a recovery scheduled, but we know they won't make the 12/5/16 completion date so this is supposed to give a realistic time frame of when they will get done. To date, approximately 51% of the performance period has expired without significant progress, leaving approximately 49% of the

performance period left to perform the work. Based on this schedule the KTR anticipates a contract delivery date well after the required contract completion date, Liquidated Damages will be unavoidable and the KTR has been formally informed via serial letter.

In accordance with this revised initial schedule, the anticipated contract delivery date will be approximately 177 calendar days late. It is not updated, it is supposed to be a baseline, and we know that it does not include actual current progress to date and that once updated a new revised completion date may be before or after the anticipated current contract delivery date. We continue to ask/recommend that Fortis continue to look for ways to recover lost time.


We also informed the KTR that since the anticipated contract delivery date will be after the required contract completion date, Liquidated Damages will be tracked and assessed in accordance with the contract documents starting 6 December 2016, the day after the required contract completion date, for each calendar day that the project is late.

We have not finalized our review yet, looking to try and complete that today.

Thanks (b) (6) --Original Message-From: (b)(6); (b)(7)(C) Sent: Wednesday, August 31, 2016 5:30 AM (b) (6) To: (b)(6); (b)(7)(\overline{C}) Cc: Subject: [EXTERNAL] (b)(7)(E) schedule (b) (6) can you please forward the (b)(7)(E) construction schedule to (b)(6); (b)(7)(C) and I. (b)(6); (b)(7)(C) P.E., PMP, Chief Engineer LMI Mobile: (b)(6); (b)(7)(C) (b)(6); (b)(7)(C)

From:

To:



Bcc:

Cc:

Subject: FW: (b)(7)(E)schedule

Date: Thu Sep 01 2016 13:49:03 EDT

Attachments: (b)(7)(E)Fence - Schedule by WBS - Initial Schedule R6-1.pdf

FYSA

From: (b) (6)

Sent: Wednesday, August 31, 2016 10:09:59 AM

(b)(6); (b)(7)(C)

(0)(0), (0)(7)(0) (b) (6)

Subject: RE: (b)(7)(E)schedule

(b)(6); (b)(7)(C)

Revised initial schedule as requested. As you may know, this revised initial schedule is the end result of several meetings, discussions, and coordination that the KTR had between its field and office management because we kept getting schedules that did not agree with what was actually going onion the field. Also, we know that they will not be able to recover lost time as too much time has already passed. So this is supposed be there attempt at a realistic, accurate, determination of the proposed current sequence of work and current KTR estimated completion date. This revised initial schedule attempts to correct the previous conflicts and finally provide a formal and final direction forward supported by the KTR field and office management personnel.

We asked for a recovery scheduled, but we know they won't make the 12/5/16 completion date so this is supposed to give a realistic time frame of when they will get done. To date, approximately 51% of the performance period has expired without significant progress, leaving approximately 49% of the performance period left to perform the work. Based on this schedule the KTR anticipates a contract delivery date well after the required contract completion date, Liquidated Damages will be unavoidable and the KTR has been formally informed via serial letter.

In accordance with this revised initial schedule, the anticipated contract delivery date will be approximately 177 calendar days late. It is not updated, it is supposed to be a baseline, and we know that it does not include actual current progress to date and that once updated a new revised completion date may be before or after the anticipated current contract delivery date. We continue to ask/recommend that Fortis continue to look for ways to recover lost time.

We also informed the KTR that since the anticipated contract delivery date will be after the required

contract completion date, Liquidated Damages will be tracked and assessed in accordance with the contract documents starting 6 December 2016, the day after the required contract completion date, for each calendar day that the project is late.

We have not finalized our review yet, looking to try and complete that today.



(b)(6); (b)(7)(C)

From: (b)(6); (b)(7)(C)

Sent: Wednesday, August 31, 2016 5:30 AM

To: (b) (6)

Cc: (b)(6); (b)(7)(C)


Subject: [EXTERNAL] (b)(7)(E) schedule


(b) (6) can you please forward the (b)(7)(E) construction schedule to (b)(6); (b)(7)(C) and I.


(b)(6); (b)(7)(C) P.E., PMP, Chief Engineer


LMI


Mobile: (b)(6); (b)(7)(C)









































From: (b)(6); (b)(7)(C)To: Cc: Bcc: Fence Replacement Subject: Thu Aug 25 2016 08:35:11 EDT Date: image003.jpg Attachments: image004.jpg OK... We will look at after contract award. Regards, (b)(6); (b)(7)(C) (b)(6); (b)(7)(C)(b)(6); (b)(7)(C)Excel as a trusted strategic partner enhancing Border Patrol's proud legacy. From: (b)(6); (b)(7)(C) Sent: Thursday, August (b)(6); (b)(7)(C)(b)(6); (b)(7)(C)Cc: Subject: RE: Fence Replacement

(b)(5)

(b)(5)

(b)(6); (b)(7)(C) P.E.

Program Director

Resource Management Division

LMI 7940 Jones Branch Drive McLean, VA 22102 Office: (b)(6); (b)(7)(C)

Cell: (b)(6); (b)(7)(C)

Complex Problems. Practical Solutions. www.lmi.org

From: (b)(6); (b)(7)(C)

Sent: Wednesday, August 24, 2016 3:05 PM

(b)(6); (b)(7)(C)

(b)(6); (b)(7)(C)

Subject: RE: (b)(7)(E) Fence Replacement

(b)(5)

From: (b)(6); (b)(7)(C)

Sent: Wednesday, August 24, 2016 10:42:52 AM

To: (b)(6); (b)(7)(C)

Subject: FW: (b)(7)(E) Fence Replacement

(b) (5), (b) (7)(E)

(b)(6); (b)(7)(C), P.E.


Program Director

Resource Management Division

LMI 7940 Jones Branch Drive McLean, VA 22102 Office: (b)(6): (b)(7)(C)

Cell(b)(6); (b)(7)(C)

Complex Problems. Practical Solutions. www.lmi.org




Gentlemen,

```
As discussed as part of the Post Vendor visit was the site visit to (b)(7)(E) (b) (5), (b) (7)(E) (b) (5)
```

Thanks, (b)(6); (b)(7)(C)

also known as (b)(7)(E) is a large, (b)(7)(E) flowing This wash provides drainage for a streambed approximately(b)(7)(E)miles During the monsoon season, this wash flows large portion rapidly, moving massive amounts of sediment and debris. Over the past eight years the debris and water have two different occasions. During the 2016 event, debris was deposited on the (b)(7)(E)fencing at The existing (b)(7)(E) fencing was built in (b)(7)(E)(b)(7)(E)(b) (5), (b) (7)(E)The location of this proposed fencing replacement is The project consists of replacing approximately (b)(7)(E) fencing with a fencing solution that will allow proper water flow in this (b)(7)(E) wash. Current (b)(7)(E) encing designs (b)(7)(E)

(b)(7)(E)




The following photos are of damage that occurred during the 2008 (top) and 2016 (bottom) monsoon seasons:

(b)(7)(E)

(b)(7)(E)

From: To:



Cc:

Bcc:

Subject: RE: CIR PMP Tag UP

Date: Fri Aug 19 2016 12:49:54 EDT Attachments: CAAIR PgMP 160819.docx

AII

Attached is our first pass at the Program Management Plan. Please note that the environmental section as well as a couple of other sections need to be revised to reflect the fact that a (b) (5)

 $(b)(6); (b)(7)(C)_{P.E.}$

Program Director

Resource Management Division

LMI

7940 Jones Branch Drive

McLean, VA 22102

Office: (b)(6); (b)(7)(C)
Cell: (b)(6); (b)(7)(C)

Complex Problems. Practical Solutions.

www.lmi.org

----Original Appointment----

From: (b)(6); (b)(7)(C)

Sent: Tuesday, August 02, 2016 8:15 AM

To: (b)(6); (b)(7)(C)

(b) (6)

When: Friday, August 19, 2016 1:00 PM-2:00 PM (UTC-05:00) Eastern Time (US & Canada).

--> Join Skype Meeting
This is an online meeting for Skype for Business, the professional meetings and communications app formerly known as Lync.

Join by phone

(b)(7)(E)(National)

(National)

English (United States)

English (United States)

English (United States)

Find a local number

Conference ID: (b)(7)(E)

Forgot your dial-in PIN? |Help

[!OC([1033])!]

Where: Skype Meeting


BW23 FOIA CBP 012599





Congressional Authorized and Appropriated Immigration Reform Program Program Management Plan


Version 1.1


BPFTI Program Office





































































































From: (b)(6)

Sent: Tuesday, August 09, 2016 9:18 AM

To:

(b) (6)

Subject: RE: (b)(7)(E)Fence BAA

Designated country" means any of the following countries:

- (1) A World Trade Organization Government Procurement Agreement (WTO GPA) country (Armenia, Aruba, Austria, Belgium, Bulgaria, Canada, Croatia, Cyprus, Czech Republic, Denmark. Estonia, Finland, France, Germany, Greece, Hong Kong, Hungary, Iceland Ireland, Israel, Italy, Japan, Korea (Republic of), Latvia, Liechtenstein, Lithuania, Luxembourg, Malta, Montenegro, Netherlands, New Zealand, Norway, Poland, Portugal, Romania, Singapore, Slovak Republic, Slovenia, Spain, Sweden, Switzerland, Taiwan, or United Kingdom);
- (2) A Free Trade Agreement (FTA) country (Australia, Bahrain, Canada, Chile, Colombia, Costa Rica, Dominican Republic, El Salvador, Guatemala, Honduras, Korea (Republic of), Mexico, Morocco, Nicaragua, Oman, Panama, Peru, or Singapore);
- (3) A least developed country (Afghanistan, Angola, Bangladesh, Benin, Bhutan, Burkina Faso, Burundi, Cambodia Central African Republic, Chad, Comoros, Democratic Republic of Congo, Djibouti, Equatorial Guinea, Eritrea, Ethiopia, Gambia, Guinea, Guinea-Bissau, Haiti, Kiribati, Laos, Lesotho, Liberia, Madagascar, Malawi, Mali, Mauritania, Mozambique, Nepal, Niger, Rwanda, Samoa, Sao Tome and Principe, Senegal, Sierra Leone, Solomon Islands, Somalia, South Sudan, Tanzania, Timor-Leste, Togo, Tuvalu, Uganda, Vanuatu, Yemen, or Zambia); or
- (4) A Caribbean Basin country (Antigua and Barbuda, Aruba, Bahamas, Barbados, Belize, Bonaire, British Virgin Islands, Curacao, Dominica, Grenada, Guyana, Haiti, Jamaica, Montserrat, Saba, St. Kitts and Nevis, St. Lucia, St. Vincent and the Grenadines, Sint Eustatius, Sint Maarten, or Trinidad and Tobago).

(b) (6)

Contracting Officer
Chief, Pre-Award Acquisition Section
Fort Worth District
Directorate of Contracting

Building Strong(r)

U.S. Army Corps of Engineers

o (b) (6)

Help us in BUILDING STRONG!

Visit our Interactive Customer Evaluation (ICE) website at: Blockedhttp://ice.disa.mil/index.cfm? fa=card&service provider id=110785&site id=856&service category id=14.

To: $RE: \stackrel{(b)(7)(E)}{\longrightarrow}$ (b) (6)
Sent: Wed 8/10/2016 7:21:10 PM
Subject: RE: (6)(7)(E) Fence BAA
I've conducted further research to include speaking to (b) (6) who recalls the issue. I also spoke to (b) (6) Her response is below.
(b) (5)
I'm still researching the issue; (b) (5)
Contracting Officer Chief, Pre-Award Acquisition Section Fort Worth District Directorate of Contracting
Building Strong(r) U.S. Army Corps of Engineers O: F: (b) (6)
Help us in BUILDING STRONG! Visit our Interactive Customer Evaluation (ICE) website at: http://ice.disa.mil/index.cfm?fa=card&service_provider_id=110785&site_id=856&service_category_id=14.
Original Message From: (b) (6) Sent: Wednesday, August 10, 2016 2:17 PM To: (b) (6) Subject: FW: (b)(7)(E) Fence BAA
Would you like to pose this question to DC?
Original Message From: (b) (6) Sent: Wednesday, August 10, 2016 1:27 PM To: (b) (6) Cc: (b) (6)
Subject: RE: (b)(7)(E) Fence BAA (b) (5)
Original Message From: (b) (6) Sent: Wednesday, August 10, 2016 1:24 PM To: (b) (6)
Cc: (b) (6) Subject: RE:(b)(7)(E)Fence BAA
(b) (5)

Sent: Wednesday, August 10, 2016 1:02 PM To:	(b) (6)
Cc:	(b) (6)
Subject: RE:(b)(7)(E)Fence BAA	
(b) (5), ((b)(6); (b)(7)(C)
Original Message From: (b) (6) Sent: Wednesday, August 10, 2016 12:54 PM To: Cc:	(b) (6) (b) (6)
Subject: RE: (b)(7)(E)Fence BAA	
(b) (5)Original Message From: (b) (6) Sent: Wednesday, August 10, 2016 10:30 AM To: Cc: Subject: RE: (b)(7)(E) Fence BAA	(b) (6) (b) (6)
	(b)(5)
Original Message From: (b) (6) Sent: Wednesday, August 10, 2016 10:14 AM To: Cc: Subject: RE:(b)(7)(E)Fence BAA	(b) (6) (b) (6)
(b) (5)	
Original Message From: (b) (6) Sent: Wednesday, August 10, 2016 9:43 AM To:	(b) (6)
Cc:	(b) (6)
Subject: RE:(b)(7)(E)Fence BAA (b) (5)	
(b) (6) , PMP Senior Procurement Analyst	
Office of the Regional Principal Assistant Responsible for Contracting - Dallas (RPARC-DAL) HQS, US Army Corps of Engineers Directorate of Contracting Building Strong(r) U.S. Army Corps of Engineers	BW23 FOIA CBP 012638 Page 3213 of 3483

Fence BAA (1).msg <extracted> for Printed Item: 3521 (Attachment 1 of 1)

(b) (6) Phone: Fax: (b) (6) (b)(6)Visit our Interactive Customer Evaluation (ICE) Website at: http://ice.disa.mil/index.cfm?fa=card&service provider id=110802&site id=856 http://ice.disa.mil/index.cfm?fa=card&service_provider_id=110802&site_id=856 ----Original Message----From: (b) (6) Sent: Wednesday, August 10, 2016 9:26 AM To: (b) (6)Cc: (b)(6)Subject: RE: (b)(7)(E) Fence BAA I opened up a few of the old PF225 RFPs and this is what I found: Fence Seament **BAA Clauses** 52.225-11, 52.225-12 (b)(7)(E)52.225-11, 52.225-12 52.225-11, 52.225-12 52.225-11, 52.225-12 (b) (6) ----Original Message----(b) (6) From: Sent: Tuesday, August 09, 2016 7:31 PM (b)(6)Subject: RE: (b)(7)(E)Fence BAA (5), (b)(6); (b)(7)(C)----Original Message----From: (b)(6)Sent: Tuesday, August 09, 2016 7:24 PM (b)(6)Subject: RE: (b)(7)(E) Fence BAA (b)(5)(b) (6) Contracting Officer Chief, Pre-Award Acquisition Section Fort Worth District Directorate of Contracting Building Strong(r) U.S. Army Corps of Engineers

BW23 FOIA CBP 012639

Page 3214 of 3483

RE: (b)(7)(E) Fence BAA (1).msg <extracted> for Printed Item: 3521 (Attachment 1 of 1)

1100 Commerce Street, Suite 579

Help us in BUILDING STRONG!

Dallas, TX 75242-0216

crazy schedule.
IA CBP 012640

Page 3215 of 3483

PF: OYOE Fance BAA (1).msg <extracted> for Printed Item: 3521 (Attachment 1 of 1)</extracted>
From: (b) (6) Sent: Tuesday, August 09, 2016 9:18 AM
To: (b) (6)
Subject: RE:(b)(7)(E)Fence BAA
Designated country" means any of the following countries:
(1) A World Trade Organization Government Procurement Agreement (WTO GPA) country (Armenia, Aruba, Austria, Belgium, Bulgaria, Canada, Croatia, Cyprus, Czech Republic, Denmark. Estonia, Finland, France, Germany, Greece, Hong Kong, Hungary, Iceland Ireland, Israel, Italy, Japan, Korea (Republic of), Latvia, Liechtenstein, Lithuania, Luxembourg, Malta, Montenegro, Netherlands, New Zealand, Norway, Poland, Portugal, Romania, Singapore, Slovak Republic, Slovenia, Spain, Sweden, Switzerland, Taiwan, or United Kingdom);
(2) A Free Trade Agreement (FTA) country (Australia, Bahrain, Canada, Chile, Colombia, Costa Rica, Dominican Republic, El Salvador, Guatemala, Honduras, Korea (Republic of), Mexico, Morocco, Nicaragua, Oman, Panama, Peru, or Singapore);
(3) A least developed country (Afghanistan, Angola, Bangladesh, Benin, Bhutan, Burkina Faso, Burundi, Cambodia Central African Republic, Chad, Comoros, Democratic Republic of Congo, Djibouti, Equatorial Guinea, Eritrea, Ethiopia, Gambia, Guinea, Guinea-Bissau, Haiti, Kiribati, Laos, Lesotho, Liberia, Madagascar, Malawi, Mali, Mauritania, Mozambique, Nepal, Niger, Rwanda, Samoa, Sao Tome and Principe, Senegal, Sierra Leone, Solomon Islands, Somalia, South Sudan, Tanzania, Timor-Leste, Togo, Tuvalu, Uganda, Vanuatu, Yemen, or Zambia); or
(4) A Caribbean Basin country (Antigua and Barbuda, Aruba, Bahamas, Barbados, Belize, Bonaire, British Virgin Islands, Curacao, Dominica, Grenada, Guyana, Haiti, Jamaica, Montserrat, Saba, St. Kitts and Nevis, St. Lucia, St. Vincent and the Grenadines, Sint Eustatius, Sint Maarten, or Trinidad and Tobago).
(b) (6) Contracting Officer Chief, Pre-Award Acquisition Section Fort Worth District Directorate of Contracting
Building Strong(r) U.S. Army Corps of Engineers O: F: (b) (6)
Help us in BUILDING STRONG! Visit our Interactive Customer Evaluation (ICE) website at: Blockedhttp://ice.disa.mil/index.cfm?fa=card&service_provider_id=110785&site_id=856&service_category_id=14 <blockedhttp: ice.disa.mil="" index.cfm?fa="card&service_provider_id=110785&site_id=856&service_category_id=14">.</blockedhttp:>
Original Message From: (b) (6) Sent: Thursday, July 28, 2016 3:23 PM

(b) (6)

To:

Subject:(b)(7)(E)Fence BAA

Sent from my BlackBerry 10 smartphone.

(b)(5)

BW23 FOIA CBP 012641

To: (b)(6); (b)(7)(C)

Ce:

Bcc:

Subject:

RE: RGV.

Date:

Tue Aug 16 2016 09:04:54 EDT

Attachments:

Correct. Meeting is cancelled.

From: (b)(6); (b)(7)(C)

Sent: Tuesday, August 16, 2016 9:04:00 AM

To: Cc: (b)(6); (b)(7)(C)

Subject: RE: RGV.

Then should USACE and I not call in?

(b)(6); (b)(7)(C), P.E., PMP

SME,TI Division

LMI Government Consulting

Border Patrol Facilities & Tactical Infrastructure

Program Management Office

Facilities Management & Engineering

U.S. Customs and Border Protection

Office: (b)(6); (b)(7)(C)Mobile: (b)(6); (b)(7)(C) Preferred) (b)(6); (b)(7)(C)Email: Sent: Tuesday, August 16, 2016 9:00 AM (b)(6); (b)(7)(C)(b)(6); (b)(7)(C)Cc: Subject: RE: RGV. OK. It seems that the two senior folks are not on the call. So I will suggest that we communicate thar to RGV. We can have (b)(6)(b)(7)(C) attend to take action items. To: Cc: Subject: RE: RGV. I cannot make the call today. Regards, (b)(6); (b)(7)(C)(w) (b)(6); (b)(7)(C)

Excel as a trusted strategic partner enhancing Border Patrol's proud legacy.

	(b)(6); (b)(7)(C)	
	(b)(6); (b)(7)(C)	
(b)(c)	6); (b)(7)(C)	

For design, the last portion of the (b)(7)(E)15% design arrived at USACE Friday. They are reviewing the deliverables yesterday and today for completeness and expect to get them to us by the end of today. Provided the deliverables are acceptable, I will have them posted to USBP/OTIA SE by end of the day Thursday.

USACE asked if you will be on USACE or OTIA's (b)(7)(E) RGV calls

(b)(6); (b)(7)(C), P.E., PMP

SME,TI Division

LMI Government Consulting

Border Patrol Facilities & Tactical Infrastructure

Program Management Office

Facilities Management & Engineering

U.S. Customs and Border Protection

Office: (b)(6); (b)(7)(C)

Mobile: (b)(6); (b)(7)(C) (Preferred)

(b)(6); (b)(7)(C)Email:

From: (b)(6); (b)(7)(C) Sent: Monday, August 15, 2016 6:22 PM

(6); (b)(7)(0)Cc:

(b)(6); (b)(7)(C)

Subject: RGV.

Tomorrow we are in meetings with the Corps and will not be,able to attend the RGV meeting.

The big nut is the award of (b)(7)(E) and the final reviews for (b)(7)(E). They should be going over to OTIA.

Our schedules are set so no change.

Funding for Metes and Bounds were discussed (b) (5)